

IP-3018 IP console, 18 line

IP-3000 Series





- ▶ User-friendly - combines console and software into a single easy-to-configure device, with flexible layout options and an enhanced **GUI** (Graphical User Interface).
- ▶ Simplifies management - makes onsite and remote system administration, configuration, and software updates quick and easy.
- ▶ Bridges systems - Interconnects with a variety of systems using **APIs** (Application Programming Interface).
- ▶ Direct radio wireline IP interface upgradeable - Upgradeable to Enterprise or Public Safety direct interfaces.
- ▶ Works in parallel with existing Telex IP-based consoles.

The IP-3018 18-line console is a part of the IP-3000 series of consoles that combine state-of-the-art hardware and software for the ultimate all-in-one **UX** (User Experience). The console features ergonomic comfort, fully customizable interfaces, backward-compatibility with existing Telex equipment (including the renowned IP-224 IP radio gateway), and easy to update software - all adding up to provide an optimal user experience while maximizing ROI (Return on Investment).

A superior hands-on user experience is ensured via a best-in-class feature lineup. Customers familiar with TSM (Telex System Manager) and C-Soft find configuring and using the console simple and efficient. With included features like a high-resolution TFT LCD touch screen display, high-quality speakers, USB ports, programmable keys and an output for an external monitor the console is quite capable. Optional features include an easy to install adjustable tilt stand, programmable keypad, and replaceable keys in a variety of colors.

System overview



Parts included

Quantity	Component
1	NEXTGEN HW CONSOLE IP-3018
1	EULA - MICROSOFT
1	QUICK INSTALL GUIDE
1	SAFETY INSTRUCTIONS

Quantity	Component
1	CABLE, RJ-45 CAT 5, 7FT

Technical specifications

	IP-3018
Power supply	External 12V ±5% power supply Output Max: 12VDC @8.55A (102W) Input: 90 to 264VAC ~50/60Hz Level VI energy efficiency rating UL Certification
Active power	27.5 W (40.0 W maximum)
Display size	15.6 in
Display resolution	1920 x 1080
Touch screen	Yes - 5-wire resistive
Processor	Intel J1900 - 2.0 GHz
RAM	8 GB
Hard drive	256 GB SSD
USB audio codec	2
Speakers	Selected and Unselected (2 x 2 W)
Volume control knobs	2
Volume control keys	Yes
Goose-neck microphone	Yes Maximum input: 120 dB SPL
Illuminated PTT key	Yes
Bar-graph VU meter displays	Yes
Control keys	5
Programmable keys	16 (labelled F1 to F16) Separate body and cover (allows for paper key legends)
Protection (sealing) grade	IP20 - Indoor use, limited amounts of falling dirt
External digital inputs	2
Footswitch interface	Yes
Handset with PTT	Integrated

	IP-3018
Dimensions W x D x H (mm)	510 x 342 x 112
Unit weight	6.5 kg
Operating temperature	5° C to 35° C
Storage temperature	-10° C to 50° C
Humidity range	20% to 80% (non-condensing)
Certifications and approvals	EN 55032:2012 EN-55024:2010 EN-61000-3-2:2014 EN-61000-3-3:2013 FCC Part 15 Canada's ICES-003 Issue 6 RoHS REACH N2580

Ordering information

IP-3018 IP console, 18 line

18 Lines console, 2 SIP line, upgradeable to IP-3008-E or IP-3008-PS

Order number **IP-3018 | F.01U.392.874**

Accessories

IP-INCLINE Console inclination mechanism

Console inclination mechanism

Order number **IP-INCLINE | F.01U.392.880**

IP-KBD-EXTEND Extended keyboard, 32 key

Extended keyboard, 32 key

Order number **IP-KBD-EXTEND | F.01U.392.879**

KEYSET-BLACK 10 piece black keyset

10-piece black keyset

Order number **KEYSET-BLACK | F.01U.392.889**

KEYSET-BLUE 10 piece blue keyset

10-piece blue keyset

Order number **KEYSET-BLUE | F.01U.392.886**

KEYSET-GREEN 10 piece green keyset

10-piece green keyset

Order number **KEYSET-GREEN | F.01U.392.885**

KEYSET-ORANGE 10 piece orange keyset

10-piece orange keyset

Order number **KEYSET-ORANGE | F.01U.392.888**

KEYSET-RED 10 piece red keyset

10-piece red keyset

Order number **KEYSET-RED | F.01U.392.884**

KEYSET-YELLOW 10 piece yellow keyset

10-piece yellow keyset

Order number **KEYSET-YELLOW | F.01U.392.887**

HANDSET-IP-30XX Console replacement handset

Console replacement handset

Order number **HANDSET-IP-30XX | F.01U.392.883**

PWR-IP-3018 Replacement power supply, IP-3018

Replacement power supply, IP-3018

Order number **PWR-IP-3018 | F.01U.392.882**

Software Options

IP-UPGRADE-E IP console upgrade, enterprise

IP console upgrade, enterprise

Order number **IP-UPGRADE-E | F.01U.392.877**

IP-UPGRADE-PS IP console upgrade, public safety

IP console upgrade, public safety

Order number **IP-UPGRADE-PS | F.01U.392.878**

Represented by:

Telex Radio Dispatch
8601 E. Cornhusker Hwy Lincoln
Nebraska 68507
U.S.A.
www.telexradiodispatch.com